



# Turmdrehkran 26 K.1

Tower Crane / Grue à tour / Gru a torre / Grúa torre  
Guindaste de torre / Башенный поворотный кран



EN/CE

# LIEBHERR



## Ausladung und Tragfähigkeit

Radius and capacity / Portée et charge / Sbraccio e portata  
Alcances y cargas / Alcance e capacidade de carga / Вылет и грузоподъемность

m	m / kg	m/kg																
		10,0	11,0	12,0	13,0	14,0	15,0	16,0	17,0	18,0	19,0	20,0	21,0	22,0	23,0	24,0	25,0	26,0
26,0	2,2 - 12,0 2500	2500	2500	2500	2280	2090	1930	1790	1660	1560	1460	1370	1300	1230	1160	1100	1050	1000
24,0	2,2 - 12,4 2500	2500	2500	2500	2370	2180	2010	1860	1730	1620	1520	1430	1350	1280	1210	1150		
12,0	2,2 - 12,0 2500	2500																

## Gewicht

Weight / Poids / Peso / Peso / Pesos / Macca


	15000 kg	r = 2,0 m		9100 kg
--	----------	-----------	--	---------

# Auslegersteilstellung

Elevated jib / Flèche inclinée / Braccio inclinato  
Pluma inclinada / Lança inclinada / Положение стрелы под углом

		5°	10°	15°	20°	25°	30°	35°	40°
26,0		24,3	26,4	29,3	31,0	32,4	34,2	36,0	37,0
		2,2 11,9 25,9 <sup>2)</sup>	2,2 12,0 25,5 <sup>2)</sup>	2,2 15,6 25,0 <sup>2)</sup>	2,2 24,3 <sup>1)</sup> 19,6 24,3 <sup>2)</sup>	2,2 22,6 23,5 <sup>2)</sup>	2,2 22,4 <sup>2)</sup>	2,2 21,2 <sup>2)</sup>	2,2 19,9 <sup>2)</sup>
		2500 1000 <sup>2)</sup>	2500 1020 <sup>2)</sup>	1850 1050 <sup>2)</sup>	800 <sup>1)</sup> 1400 1080 <sup>2)</sup>	1180 1130 <sup>2)</sup>	1000 <sup>2)</sup>	870 <sup>2)</sup>	750 <sup>2)</sup>

		5°	10°	15°	20°	25°	30°	35°	40°
24,0		24,1	26,1	28,8	30,3	31,6	33,2	34,8	35,7
		2,2 12,5 23,9 <sup>2)</sup>	2,2 12,5 23,6 <sup>2)</sup>	2,2 16,0 23,1 <sup>2)</sup>	2,2 22,5 <sup>1)</sup> 20,4 22,5 <sup>2)</sup>	2,2 21,7 <sup>2)</sup>	2,2 20,7 <sup>2)</sup>	2,2 19,6 <sup>2)</sup>	2,2 18,3 <sup>2)</sup>
		2500 1160 <sup>2)</sup>	2500 1180 <sup>2)</sup>	1850 1200 <sup>2)</sup>	800 <sup>1)</sup> 1400 1250 <sup>2)</sup>	1180 <sup>2)</sup>	1000 <sup>2)</sup>	870 <sup>2)</sup>	750 <sup>2)</sup>



## Antriebe


Driving units / Mécanismes d'entraînement / Meccanismi / Mecanismos / Mecanismos / Приводы

	U/min 0 ↔ 0,8 sl./min tr./min	1,5 kW EDC
	18,0 / 36,0 m/min	1,1 / 1,8 kW <sup>1)</sup> 1,9 / 2,8 kW <sup>2)</sup>
	ca. 160°/min	2,2 kW

	Stufe / Step / Cran / Marcia Velocidad / Velocidade Передача	kg	m/min
11,0 kW FU	2	2500	20,0
	3	1300	40,0
	1	2500	4,0
	2	2500	20,0
3	1300	38,0	
4	1000	50,0	







BGL		C.0.08.0025
-----	--	-------------

400 V		Hz	kVA
71,0 m	4 x 6 mm <sup>2</sup> KL	50	17,0 KL
96,0 m	4 x 6 mm <sup>2</sup> FU		16,0 FU



## Kolli-Liste

Packing List / Liste de colisage / Lista dei colli  
 Lista de contenido / Lista de embalagem / Упаковочный лист

Pos. Item	Anz. Qty.				L (m)	B (m)	H (m)	kg	
1	1	<b>Ausleger-Verlängerung 24,0 m – 26,0 m</b> Jib extension / Rallonge de la flèche / Elemento estensione braccio / Prolongación de pluma Extensão da lança / Удлинение стрелы			2,00	0,75	0,7	80	
2	1	<b>Transportachse vorne / Road transport axle front</b> Essieux de transport avant / Asse di trasporto anteriore Eje delantero para transporte / Eixo de transporte dianteiro / Транспортировочная ось, передняя	Tra 100 KY 2 Tra 100 KY 6 Tra 100 KY 6 A			3,00	1,13	0,97	750 920 920
3	1	<b>Transportachse hinten / Road transport axle behind</b> Essieux de transport arrière / Asse di trasporto posteriore Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя	Tra 120 GY 1 A Tra 120 GY 1			1,90	2,50	1,05	1100

**Konstruktionsänderungen vorbehalten!** / Subject to alterations! / Sous réserves de modifications! / Riservato il diritto di modifiche strutturali!  
 ¡Sujeto a modificaciones! / Salvo modificação da construção! / Права на внесение конструкторских изменений сохраняются!

**Sämtliche Angaben erfolgen ohne Gewähr.** / This information is supplied without liability. / Ces renseignements sont sans garantie. / Tutte le indicazioni fornite senza garanzia. / Declinamos toda responsabilidad derivada de la información proporcionada. / Declinamos qualquer responsabilidade quanto à informação fornecida. / Все данные указаны без обязательств.

120 P – 5294 EN/CE • BGL C.0.08.0025 • 04.07 / 7

Printed in Germany.